




The all-in-one gantry solution for large format additive and subtractive manufacturing of thermoplastic materials





The all-in-one gantry solution

BEAD is the hybrid technology that integrates **Large Format Additive Manufacturing** with **precision CNC milling** into a single machining center.

BEAD combines the advantages of both 3D printing and CNC machining, uniting the **speed and design flexibility** of additive manufacturing with the **accuracy and reliability** of CNC technology in one integrated system.

By integrating an extruder for additive manufacturing into a Belotti 5-axis CNC gantry milling machine, BEAD enables the production of parts with variable printing output and sizes. Components are first **additively manufactured to near-net shape** and then **milled to precise tolerances**. This hybrid process significantly **reduces both production time and raw material consumption** compared to traditional manufacturing methods.

The application potential of this innovative solution is vast, with initial targets in the marine, automotive, and aerospace sectors, where it has already been used to produce **molds, patterns, tools, and final parts**. **BEAD** not only opens up new and innovative production scenarios but also **enhances the return on investment**.

This solution requires **less space and programming effort** than two separate systems. Additionally, because the workpiece does not need to be transferred between machines, **machining and handling times are significantly reduced**.

3D PRINTING

Design freedom

Near-net shape

Automation

Recyclable materials

CNC MILLING

High surface quality

High tolerances

Automation

Accuracy

APPLICATION SECTORS

AEROSPACE



AUTOMOTIVE



MARINE



RAILWAY



DESIGN AND FURNITURE



PATTERNS AND MOLDS



THERMOFORMING



CHECKING FIXTURES



MATERIALS

The 3D printing process utilizes **composite pellets** composed of a **thermoplastic polymer matrix** reinforced with various types of fibers, including glass, carbon, and natural fibers.

Polymers range from commodity (e.g., PP, PETG) to high-performance fiber-reinforced polymers (e.g., PESU, PEI). Unlike thermosetting materials, **thermoplastics are recyclable and can be reused**, enhancing sustainability and reducing environmental impact.




APPLICATIONS

BEAD finds application in key sectors such as the aerospace, automotive, marine, and design industries.



MAIN APPLICATIONS

- > Models and production tools: plugs, molds, autoclave tools for composite production.
- > Non-structural end parts for different application industries.



The BEAD solution can be implemented in **various configurations** with **adjustable build volumes, extrusion outputs, and printing orientations**.





TOP FEATURES

- > **Integration of Additive and Milling Processes:** A single hybrid solution that combines both additive manufacturing and milling processes.
- > **5-Axis Printing Capability:** Allows the printing of complex geometries. The variable orientation of the extruder enables the printing of fully closed shapes without supports for undercuts, reducing printing time and improving interlayer adhesion, and allowing adjustment of mechanical and thermal properties as needed.
- > **Extrusion Output:** Ranges from 12 kg/h to 80 kg/h (26.5 lbs/h to 176 lbs/h) to meet different industry needs and their respective build volumes.
- > **High Performance Materials:** Capable of printing at extrusion temperatures up to 400°C (752°F).
- > **Powerful Electrospindle:** Available from 15 kW to 42 kW (20 HP to 56 HP).
- > **Milling Accuracy:** Achieves up to 0.01 mm/m (0.0004 in/ft) for linear accuracy and +/- 12 arcsec for rotational accuracy.
- > **Versatile Tool Change:** ATC with tool change positions ranging from 8 to 60.
- > **Advanced Integration:** Full integration with Siemens Sinumerik ONE for both milling and additive processes, compatible with the most advanced and comprehensive slicing software on the market like AdaOne by ADAXIS and Aibuild Software.
- > **High Customization:** Customizable gantry for printing and milling operations, with the extruder system also available as a retrofit on existing Belotti machines.

KEY ADVANTAGES


- > **Manual Labor Elimination:** Transitioning from CAD geometry directly to mold production without the need for creating a model.
- > **Lower Investment and Space Optimization:** Achieved compared to using single technologies separately.
- > **Shorter Lead Times and Reduced Production Costs:** 3D printing enables the production of highly accurate, intricate, and optimized geometries.
- > **Reduced Material Waste:** Enhances production efficiency with less material usage and waste.
- > **Greater Sustainability:** Achieved with reusable and recyclable materials.

> Less manual labor


> Shorter lead times

> Lower investment

> More sustainable process



WATCH
THE VIDEO





belotti.com

BELOTTI SpA

HQ and Operations 1

Via San G. Bosco, 12
24040 Suisio (BG) – ITALY

Tel. +39 035 4934411
sales@belotti.com

Innovation HUB and Operations 2

Via G. Cassiani, 173
41122 Modena – ITALY



Belotti Centro Sud

Via Casale Ferranti, 85
00173 Roma – ITALY
Tel. +39 06 93020906
salescentrosud@belotti.com

Belotti Deutschland GmbH

Kalterer Straße 9
86165 Augsburg / Bayern – GERMANY
Tel. +49 172 5223805

Belotti (Shanghai) Machine Tools Trade Co. Ltd

Room A105, 4th floor (East)
999 Changning Road
Changning District – CHINA

Belotti America, Inc.

HQ: 411 University Ridge,
STE B2, Greenville, SC 29601-3764 – USA
R/O: 1800 West Loop,
STE 1600, Houston, TX 77027-3288 – USA
Tel. +1 (864) 518-1727
sales@belottiamerica.com